TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG
MONTHLY SUMMARY
(Fill Out on Last Day of Month)

U. S. COAST GUARD ROSE ISLAND LIGHT STATION MONTH OF DECEMBER 1965

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED		0,000	65	0	0,000		
EXPENDED		206	50	0	700		
REMAINING		2,544	30	14	5,100		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON: LOW VISIBILITY	RADIO BEACON: REGULAR CALIBRATION	RADIO BEACON: SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	460:30 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	41:15 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	501:45 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL	X				
RADIOBEACON	NA.				
MACHINERY		X			
BOATS (BY NO.)					
CG-16717 (p)		X			
VEHICLES (BY NO.)	NA.				

NUMBER DISABLING INJURIES REPORTED ________ DAYS LOST ________ ACCIDENTAL DAMAGE TO PROPERTY, $ ________

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
Newport Harbor Light	545	Good	
Gull Rocks Light	547	Good	

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT
Russell R. Barnhart
Russell R. BARNHART (320-553) BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE WEDNESDAY 1 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	1	30.20		30	B	–		7	W	1/4
0400	NW	1	30.22		29	B	*		7	NW	1/4
0800	NW	1	30.26		30	B	–		8	NW	1/4
1200	W	2	30.21		40	B	–		8	W	1/2
1600	WSW	3	30.18		38	B	–		8	WSW	1
2000	SW	3	30.20		37	B	–		7	SW	1

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	GAS/DIESEL		
RECEIVED	0 0	0	0
EXPENDED	0 0	0	100
REMAINING	15 2750	14	5700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL.	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0707 Time Lighted 1658

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N, a nd station boat
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, relieved by Barnhart BM1 David L. Ganley

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0707 Extinguished main light
0800 Morning colors, turn to station work
0950 CG-16717 departed on logistics run to Newport, R.I., ROYS, Harold A. (319-021) EN2 departed on 7 days compensatory leave.
1015 CG-16717 moored this unit. GANLEY, David L.(348-162) SN. retutned from 7 days compensatory leave.
1200 Noon chow
1300 Returned to work
1558 Lit main light
1600 Secure for day
1613 Evening colors
1700 Evening chow. Checked main light and all visible A/N, and
1 station boat.
1800 Relieved by Ganley SN. Russell R. Barnhart

1800-2400

1800 Checked main light and all visible A/N, and station boat
1900 Same as 1800
2000 Same as 1800
2100 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Relieved by Barnhart BM1 David L. Ganley

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE THURSDAY 2 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	3018		37	B	-		7	SW	1
0400	W	3	30.15		34	B	-		7	W	1
0800	NW	1	30.18		34	B	-		8	NW	$\frac{1}{4}$
1200	W	2	30.13		44	C	Cs		8	W	$\frac{1}{2}$
1600	W	2	30.12		42	Bc	Cc		8	W	$\frac{1}{2}$
2000	NW	2	30.17		38	B	-		7	NW	$\frac{1}{2}$

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	GAS/DIESEL		
RECEIVED	10 0	0	0
EXPENDED	RRB. ~~100~~ 0	0	100
REMAINING	25 2750	14	5600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0708 Time Lighted 1558

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N, and station boat
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, relieved by Ganley SN.

Russell R. Barnhart

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning cleam up of station
0708 Extinguished main light
0800 Morning colors, turn to station work
1000 CG-16717 departed on logistics to Newport, R.I.
1110 CG-16717 moored station
1200 Noon chow
1300 Return to work
1430 CG-16717 departed for US. Naval Hospital with GANLEY, David L. to have his foot checked.
1545 CG-16717 moored station with GANLEY, D.L. SN.
1558 Lit main light
1600 Secure for day
1613 Evening colors
1700 Evening chow. Checked main light and all visible A/N, and station boat.
1800 Relieved by Barnhart BM1

David L. Ganley

1800-2400

1800 Checked main light and all visible A/N, and station baot
1900 Same as 1800
2000 Same as 1800
2100 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Reliefed by Ganley SN.

Russell R. Barnhart

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE FRIDAY 3 DECEMBER 1965 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.18		38	B	-		7	NW	½
0400	CALM	0	30.22		38	B	-		7	CALM	0
0800	CALM	0	30.26		38	B&Z	-		7	CALM	0
1200	S	2	30.20		48	C	Cs		8	S	½
1600	S	2	30.11		45	O	Ns		8	S	½
2000	S	3	30.07		46	O	Cs		7	S	1

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	GAS/DIESEL		
RECEIVED	0 0	0	ADJUSIED
EXPENDED	0 0	0	75
REMAINING	25 2750	14	7250

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished ~~155~~ 0709 R.B.B. Time Lighted 1557

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-6000

0000 Checked main light and all visible A/N, and station boat
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, relieved by Batnhart BM1

David L. Ganley

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0709 Extinguished main light
0800 Morning colors, turn to station work
1200 Noon chow
1300 Return to work
1557 Lit main light
1600 Secure for day
1612 Evening colors
1700 Evening chow. Checked main light and all visible A/N, and station boat.
1800 Relieved by Ganley SN

Russell B. Barnhart

1800-2400

1800 Checked main light and all visible A/N, and station boat
1900 Same as 1800
2000 Same as 1800
2100 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Relieved by Barnhart BM1

David L. Ganley

CERTIFIED TO BE CORRECT

Russell B. Barnhart BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SATURDAY 4 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	3	29.96		46	O	Ns		7	S	1
0400	S	3	29.84		49	O	Ns		7	S	1
0800	SW	3	29.74		48	O	As		8	SW	1
1200	SW	1	29.68		50	C	As		8	SW	$\frac{1}{4}$
1600	SW	2	29.60		49	C	Ac		8	SW	$\frac{1}{2}$
2000	W	2	29. 63		43	B	–		7	W	$\frac{1}{2}$

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	10	0	0	0
EXPENDED	0	0	0	100
REMAINING	~~45~~ 35 25	2750	14	7150

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT RRB. Time Extinguished 0710 Time Lighted 1557

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N, and station boat
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, relieved by Ganley SN

Russell R. Barnhart

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0710 Extinguished main light
0800 Morning colors, turn to station wotk
1200 Noon chow
1300 Return to work. CG-16717 departed for Newport on Logistics
1355 CG-16717 moored station
1557 Lit main light
1600 Secure for day
1612 Evening colors
1700 Evening chow. Checked main light and all visible A/N, and station boat
1800 Relieved by Barnhart BM1

David L. Ganley

1800-2400

1800 Checked main light and all visible A/N, and station boat
1900 Same as 1800
2000 Same as 1800
2100 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Relieved by Ganley SN

Russell R. Barnhart

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SUNDAY 5 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.65		40	0	Ns		7	NW	1
0400	NW	3	29.72		36	B	-		7	NW	1
0800	WNW	4	29.74		35	B	-		8	WNW	2
1200	WNW	3	29.69		41	Bc	Cu		8	WNW	1
1600	WSW	3	29.68		40	Bc	Ac		8	WSW	1
2000	SW	3	29.71		42	0	Ns		7	SW	1

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	10	0	0	0
EXPENDED	0	0	0	75
REMAINING	45	2750	14	7075

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0711 Time Lighted 1557

FOG SIGNAL (Low visibility only) **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES: REGULAR RADIOBEACON		CALIBRATION SERVICES: SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N, and station boat
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, relieved by Barnhart BM1

David L. Ganley

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0711 Extinguished main light
0800 Morning colors.
1200 Noon chow
1557 Lit main light
1612 Evening colors
1700 Evening chow. Checked main light and all visible A/N, and station boat.
1800 Relieved by Ganley SN.

Russell R. Barnhart

1800-2400

1800 Checked main light and all visible A/N, and station boat
1900 Same as 1800
2000 Same as 1800
2100 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Relieved by Barnhart BM1

David L. Ganley

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

GPO 947-370

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE MONDAY 6 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.65		42	O	Ns		7	SW	½
0400	CALM	0	29.63		39	O	Ns		7	CALM 7	0
0800	CALM	0	29.61		40	O	Ns		8	CALM	0
1200	W	1	29.59		44	C	Ci		8	W	¼
1600	NW	2	29.60		45	C	Cb		8	NW	½
2000											

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE GAS/DIESEL	LUB. OIL	WATER
RECEIVED	15 0	0	0
EXPENDED	5 0	0	75
REMAINING	55 2750	14	7000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL I	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0711 Time Lighted 1557

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N, and station boat
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, relieved by Ganley SN

Russell R. Barnhart

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0711 Extinguished main light
0800 Morning colors, turn to station work
1200 Noon chow
1235 CG-16717 departed for US Naval Hospital GANLEY, David L (348-162) SN to have his foot checked.
1300 Return to work. Held Military Etiquette instructions.
1525 CG-16717 moored station with GANLEY, D.L.
1557 Lit main light
1600 Secure for day
1612 Evening colors
1700 Evening chow. Checked main light and all vis A/N, & station boat.
1800 Relieved by Barnhart BM-1. David L. Ganley

1800-2400

1800 Checked main light and all vis A/N, & station boat.
1900 Same as 1800.
2000 Same as 1800.
2100 Same as 1800.
2200 Same as 1800.
2300 Same as 1800.
2400 Same as 1800, Relieved by Ganley, SN.

Russell R. Barnhart

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE TUESDAY 7 DECEMBER 1965 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	4	29.79		36	O	Ns		7	NW	2
0400	NW	5	29.94		29	O	Ns		7	NW	2
0800	NW	5	30.04		29	B	-		8	NW	2
1200	NW	3	30.09		34	B	-		8	NW	1
1600	NW	3	30.13		36	B	-	-	8	NW	1
2000	WNW	3	30.20		28	B	-		7	WNW	1

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	0	0	0	0
EXPENDED	0	0	0	75
REMAINING	55	2750	14	6925

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0712 Time Lighted 1557

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light, & all vis A/N, & station boat.

0100 Same as 0000.

0200 Same as 0000.

0300 Same as 0000.

0400 Same as 0000.

0500 Same as 0000.

0600 Same as 0000, Relieved by Barnhart, BM-1.

David L. Ganley

0600-1800

0600 Reveille

0630 Morning chow.

0700 Morning clean-up of station.

0712 Extinguished main light.

0800 Morning colors, Turn too station work.

0930 CG-40525 moored this unit, GANLEY, David L (348-162) SN departed for dental unit at CG. Depot Bristol, R.I.

0933 CG-40525 departed this unit.

1200 Noon chow

1300 Return to work.

1557 Lit main light

1600 Secure for day

1612 Evening colors

1700 Evening chow, checked main light and all visible A/N, and station boat.

~~1800~~ RRB.

1745 CG-40522 moored this unit, GANLEY,D.L.,SN returned from CG. Depot Bristol.

1800 Relieved by Ganley, SN.

Russell R. Barnhart

1800-2400

1800 Checked main light and all visible A/N, and station boat

1900 Same as 1800

2000 Same as 1800

2100 Same as 1800

2200 Same as 1800

2300 Same as 1800

2400 Relieved by Barnhart BM1

David L. Ganley

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1

(Officer in Charge)

GPO 947-370

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE WEDNESDAY 8 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	30.22		24	B	–		7	NW	1
0400	NW	3	30.22		23	B	–		7	NW	1
0800	W	1	30.23		30	C	As		8	W	$\frac{1}{4}$
1200	W	1	30.24		32	C	As		8	W	$\frac{1}{4}$
1600	W	2	30.24		32	C	As		8	W	$\frac{1}{2}$
2000	NW	2	30.28		32	C	AS		7	NW	$\frac{1}{2}$

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	10	0	0	0
EXPENDED	0	0	0	75
REMAINING	65	2750	14	6850

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0713 Time Lighted 1557

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N, and station boat
0100 Same as 0000
0200 Same as 0000
0300 Same as 0000
0400 Same as 0000
0500 Same as 0000
0600 Same as 0000, relieved by Ganley SN.

Russell R. Barnhart

0600-1800

0600 Reveille
0630 Motning chow
0700 Morning clean up of station
0713 Extinguished main light
0800 Morning colots, turn to station work
0900 CG-40525 arrived this station with civ. worker,to measure
needed soors, & windows , (MR. John Reynolds).
~~095~~
0930 CG16717 departed this unit w/ Barnhart, BM-1, (liberty).
1015 CG-40525 arrived this unit to take civ. worker back to
Castle Hill.
1030 CG16717 moored this unit w/ Roys, EN-2, returning from
07 days compensatory leave.
1200 Noon chow.
1300 Return too work.
1557 Lit mqin light.
1600 Secure for day.
1612 Evening colors.
1700 Evening chow, checked main light, & all vis A/N, & station boat.
1800 Relieved by Roys, EN-2.

David L. Ganley

1800-2400

1800 Chedked main light, and all vis A/N, & station boat,
2000 Same as 1800.
2200 Same as 1800
2400 Relieved by Ganley SN

Harold A Roys

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

GPO 947-370

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE THURSDAY 9 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	30.28		28	C	Ac		7	N	½
0400	N	2	30.28		28	C	Ac		7	N	½
0800	N	2	30.32		32	B&Z	–		8	N	½
1200	N	1	30.32		42	B&Z	–		8	N	½
1600	N	2	30.30		40	B&Z	–		8	N	½
2000	N	2	30.28		36	B	–		7	N	½

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	0	0	0	0
EXPENDED	0	0	0	100
REMAINING	65	2750	14	6750

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0714 Time Lighted 1557

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N and station boat.
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, Relieved by Roys EN2

David L. Ganley

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0714 Extinguished main light
0730 C.G. 16717 departed this unit With Ganley SN departing for dental unit in Bristol.
0800 Morning colors, Turned too.
1200 Noon chow
1300 Returned to work.
1557 Lit main light
HAR * 1612 Evening colors.
1700 Evening chow
1800 Checked main light and all visible A/N and station boat, Relieved by Ganley SN

Harold A Roys

1800-2400

2000 Checked main light and all visible A/N and station boat.
2200 Same as 2000
2400 Same, as 2000, Relieved by Roys EN2

David L. Ganley

HAR * 1645 C.G. 16717 returned this unit with Ganley SN

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

GPO 947-370

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE FRIDAY 10 DECEMBER 1965 **LOCATION** NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.28		34	B	–		7	NW	½
0400	NW	2	30.28		34	B	–		7	NW	½
0800	NW	2	30.26		38	B	–		8	NW	½
1200	NW	2	30.24		46	B	–		8	NW	½
1600	W	2	30.26		44	B	–		8	W	½
2000	W	2	30.28		40	B	*		7	W	½

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	GAS/DIESEL		
RECEIVED	0 0	0	0
EXPENDED	35 0	0	75
REMAINING	30 2750	14	6675

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
– AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0715 Time Lighted 1556

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light & all vis A/N, & station boat.
0200 Same as 0000.
0400 Same as 0000.
0600 Same as 0000, reveille, . Harold A Roys

0600-1800

0600 Relieved by Ganley, SN.
0630 Morning chow.
0700 Morning clean-up of station.
0715 Extinguished main light.
0800 Morning colors, turn too.
0900 CG-16717 departed this unit w/ Ganley, SN. TO dental.
1200 Noon chow.
1300 Return too work, CG-16717 Moored this unit w/ Ganley, SN.
1556 Lit main light.
1600 Secure for day.
1611 Evening colors.
1700 Evening chow.
1800 Relieved by Roys, EN-2. David T. Ganley

1800-2400

1800 Checked main light & all vis A/N, & station boat.
2000 Same as 1800.
2200 Same as 1800.
2400 Same as 1800, relieved by Ganley, SN. Harold A Roys

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

GPO 947-370

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SATURDAY 11 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.26		38	B	–		7	NW	½
0400	N	2	30.24		36	C	Ac		7	N	½
0800	N	2	30.24		40	C	Ac		8	N	½
1200	NE	2	30.20		42	R&C	Ns		8	NE	½
1600	NE	2	30.18		36	R&C	Ns		8	NE	½
2000	NE	2	30.18		36	R&C	Ns		7	NE	½

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	GAS/DIESEL		
RECEIVED	10 0	0	0
EXPENDED	0 0	0	75
REMAINING	40 2750	14	6600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0717 Time Lighted 1556

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Chedked main light & all vis A/N, & station boat.
0200 Same as 0000.
0400 Same as 0000.
0600 Same as 0000, relieved by ROys, EN*2.

David L. Ganley

0600-1800

0600 Reveille
0630 Morning chow.
0700 Morning clean-up of station.
0717 Extinguished main light.
0800 Morning colors, Turn~~i~~ too.
1200 Noon chow.
1300 Return too work.
1556 Lit main light.
1600 Secure for day.
1611 Evening colors.
1700 Evening chow.
1800 Relieved by Ganley, SN.,

Harold a Roys

1800-2400

1800 Checked all vis a/n, and main light, & station boat.
2000 Same as 1800.
2200 Same as 1800
2400 Same as 1800, Relieved by Roys, EN-2.

David L. Ganley

CERTIFIED TO BE CORRECT

Russell B. Barnhart BM-1
(Officer in Charge)

GPO 947-370

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SUNDAY 12 DECEMBER, 1965 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	30.18		32	S	–		7	N	$\frac{1}{2}$
0400	N	2	30.20		32	S	–		7	N	$\frac{1}{2}$
0800	NE	2	30.22		34	S	–		8	NE	$\frac{1}{2}$
1200	NE	2	30.24		38	S	–		6	NE	$\frac{1}{2}$
1600	NE	2	30.22		38	C	Ac		7	NE	$\frac{1}{2}$
2000	NE	2	30.10		40	O	NS		7	NE	$\frac{1}{2}$

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/	DIESEL		
RECEIVED	0	0	0	0
EXPENDED	0	0	0	75
REMAINING	40	2760	14	6525

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0717 Time Lighted 1556

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1200	1400	2	0	40
TOTAL FOR DAY		2	0	40
TOTAL FOR MONTH		2	0	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light, and all vis a/n and station boat.
0200 Same as 0000.
0400 Same as 0000.
0550 Received P/ WX Fm. Castle Hill, Display SCW.
0600 Same as 0000, Relieved by Ganley, SN. Harold a Roys

0600-1800

0600 Reveille
0630 Morning chow.
0700 Morning clean-up of station.
0717 Extinguished main light.
0800 Morning colors.
1200 Noon chow, Turned on fog signal at Gull Rocks, Rose Island, and North LT.
1400 Secured fog signal at Rose Island, Gull Rocks, and North LT.
1556 Lit main light.
1600 Secured for day
1611 Evening colors
1700 Evening chow
1800 Relieved by Roys EN2 David L. Ganley

1800-2400

1800 Checked main light and all visible A/N and station boat.
2000 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Same as 1800, Relieved by Ganley SN Harold a Roys

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE MONDAY 13 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	E	2	30.06		40	O&Z	Ns		7	E	$\frac{1}{2}$
0400	E	2	30.00		42	O&Z	Ns		7	E	$\frac{1}{2}$
0800	E	2	29.94		44	R&Z	Ns		7	E	$\frac{1}{2}$
1200	E	2	29.82		46	R&F	Ns		5	E	$\frac{1}{2}$
1600	E	2	29.78		40	R&F	Ns		5	E	$\frac{1}{2}$
2000	E	2	29.76		36	R&F	Ns		5	E	$\frac{1}{2}$

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	0	0	0	0
				00
EXPENDED	0	0	0	75
REMAINING	40	2750	14	6450

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0718 Time Lighted 0945

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0945	0000	14	15	40
TOTAL FOR DAY		14	15	40
TOTAL FOR MONTH		16	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light, & all vis A/N, & station boat.
0200 Same as 0000.
0400 Same as 0000.
0600 Same as 0000, Relieved by Roys, EN-2.

David L. Ganley

0600-1800

0600 Reveille.

0630 Morning chow.
0700 Morning clean-up of station.
0718 Extinguished main light.
0800 Morning ~~clean-~~ Colors, Turn too.
0915 Ganley, SN, Departed this unit Via 40 Ft., enroute dentist.
0930 Turned on fog signals, Notified group, & gould Isl.
1200 Noon chow.
1300 Return too work.
1400 Ganley SN, Returned too station.
1600 Secure for day.

1611 Evening colors.
1700 Evening chow.
1800 Relieved by Ganley, Sn.

Harold A Roys

1800-2400

1800 Checked main light & all vis A/N, & station boat.
2000 Same as 1800.
2200 Same as 1800.
2400 Same as 1800, Relieved by Roys, EN-2.

David L. Ganley

CERTIFIED TO BE CORRECT

Russell B. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE TUESDAY 14 DECEMBER 1965 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	3	29.76		34	0	Ns		7	N	½
0400	N	3	29.76		34	0	Ns		7	N	½
0800	N	2	29.78		36	0	Ns		8	N	½
1200	N	2	29.80		38	0	Ns		8	N	½
1600	N	2	29.82		40	0	Ns		8	N	½
2000	N	2	29.84		36	0	Ns		7	N	½

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	0	0	0	0
EXPENDED	0	0	0	75
REMAINING	40	2750	14	6375

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0718 Time Lighted ~~1657~~ 1557

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0700	7	0	40
TOTAL FOR DAY		7	0	40
TOTAL FOR MONTH		23	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Chedked main light & All vis A/N, & station boat,
0200 Same as 0000, Received P/ WX. fm Castle Hill, Lower SCW.
0400 Same as 0000.
0600 Same as 0000, Relieved by Ganley SN. Harold A Roys

0600-1800

0600 Reveille.
0630 Morning Chow.
0700 Secured fog signals, Notified Group, Morning clean-up of station.
0718 Extinguished main light.
0800 Morning colors, Turn too.
1200 Noon chow.
1300 Return too work.
1557 Lit main light
1600 Secured for day
1612 Evening colors
1700 Evening chow
1800 Relieved by Roys EN2 David L. Ganley

1800-2400

1800 Checked main light and all visible A/N and station boat.
2000 Same as 1800
2200 Same as 1800
2400 Same as 1800, Relieved by Ganley SN Harold A Roys

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE WEDNESDAY 15 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.86		34	O	Ns		7	NW	½
0400	NW	2	29.88		32	O&R	Ns		7	NW	½
0800	NW	2	29.92		34	O&Z	Ns		7	Nw	½
1200	NW	1	29.91		36	O&Z	Ns		7	NW	¼
1600	CALM	0	29.93		38	C&Z	As		7	CALM	0
2000	NW	1	29.98		36	C&Z	As		7	NW	½

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	0	0	0	0
EXPENDED	0	0	0	75
REMAINING	40	2750	14	6300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0719 Time Lighted 1557

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N and station boat.
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, Relieved by Roys EN2 David L. Ganley

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0719 Extinguished main light
0800 Morning colors, Turned too.
0930 C.G. 16717 departed this unit with Ganley David L. (348-162) SN departing on 7 days Compensatory leave.
1030 C.G. 16717 Returned this unit with Barnhart Russell R. (320-553) BM1 Returning from 7 days Compensatory leave.
1200 Noon chow
1300 Returned to work
1557 Lit main light
1600 Secured for day
1612 Evening colors
1700 Evening chow
1800 Relieved by Barnhart BM1 Harold A Roys

1800-2400

1800 Checked main light and all visible A/N and station boat,
2000 Same as 1800
2200 Same as 1800
2400 Same as 1800, Relieved by Roys EN2

Russell R. Barnhart

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

GPO 947-370

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE THURSDAY 16 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CALM	0	29.98		36	0	Ns		7	CALM	0
0400	CALM	0	29.99		38	0	Ns		7	CALM	0
0800	CALM	0	29.99		38	0	Ns		7	CALM	0
1200	W	1	29.99		40	0	Ns		8	W	1/4
1600	W1	1	30.00		41	0	Ns		8	W	1/4
2000	W	1	29.99		40	0	Ns		7	W	1/4

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE GAS/DIESEL	LUB. OIL	WATER
RECEIVED	0 0	0	0
EXPENDED	0 00	0	75
REMAINING	40 2750	14	6225

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0720 Time Lighted 1557

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N and station boat.
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, Relieved by Barnhart BM1 Harold A Roys

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0720 Extinguished main light
0800 Morning colors, Turned too
1200 Noon chow
1300 Returned to work
1557 Lit main light
1600 Secured for day
1612 Evening colors
1700 Evening chow
1800 Relieved by Roys EN2 Russell R. Barnhart

1800-2400

1800 Checked main light and all visible A/N, and station boat.
1900 Same as 1800
2000 Same as 1800
2100 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Same as 1800, relieved by Barnhart BM1 Harold A Roys

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

GPO 947-370

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE FRIDAY 17 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	1	29.97		38	Bc	Cc		7	NW	1/4
0400	CALM	0	29.96		38	B	-		7	CALM	0
0800	E	1	29.91		39	C	As		8	E	1/4
1200	W	1	29.87		38	O	Ns		8	W	1/4
1600	W	2	29.82 ~~29.82~~		37	O	Ns		8	W	1/2
2000	NW	2	29.86		35	C	As		7	NW	1/2

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	0	0	0	0
EXPENDED	0	0	0	75
REMAINING	40	2750	14	6150

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0721 Time Lighted 1557

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N, and station boat
0100 Same as 0000
0200 Same as 0000
0300 Same as 0000
0400 Same as 0000
0500 Same as 0000
0600 Same as 0000, relieved by Roys EN2

Russell R. Barnhart

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0721 Extinguished main light
0800 Morning colors, turn to work, field day
1200 Noon chow
1300 Return to work
1557 Lit main light
1600 OinC held unit inspection.
1612--------------------Evening colors
1630 Secure for day
1700 Evening chow, checked main light and all visible A/N, and station boat
1800 Relieved by Barnhart BM1

Harold A Roys

1800-2400

1800 Checked main light and all visible A/N, and station boat
1900 Same as 1800
2000 Same as 1800
2100 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Relieved by Roys EN2

Russell R. Barnhart

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

GPO 947-370

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SATURDAY 18 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.91		33	B	–		7	NW	1
0400	NW	3	29.95		32	B	–		7	NW	1
0800	NW	1	29.98		30	B	–		8	NW	$\frac{1}{4}$
1200	WNW	2	29.94		37	Bc	Ci		8	WNW	$\frac{1}{2}$
1600	WSW	2	29.90		38	C	Cc		8	WSW	$\frac{1}{2}$
2000	SW	1	29.90		34	Bc	Cu		7	SW	$\frac{1}{4}$

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	0	0	0	0
EXPENDED	0	0	0	75
REMAINING	40	2750	14	6075

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0721 Time Lighted 1557

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N, and station boat
0100 Same as 0000
0200 Same as 0000
0300 Same as 0000
0400 Same as 0000
0500 Same as 0000
0600 Same as 0000, relieved by Barnhart BM1

Harold a Roys

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0721 Extinguished main light
0800 Morning colors, turn to work
1200 Noon chow
1300 Return to work, CG-16717 departed for Newport on logistics
1410 CG-16717 moored station
1557 Lit main light
1600 Secure for day
1612 Evening colors
1700 Evening chow. Checked main light and all visibel A/N, and station boat
1800 Relieved by Roys EN2

Russell R. Barnhart

1800-2400

1800 Checked main light and all visible A/N, and station boat
1900 Same as 1800
2000 Same as 1800
2100 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Relieved by Barnhart BM1

Harold a Roys

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SUNDAY 19 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	SW	1	29.88		30	B	–		7	SW	1/4
0400	W	1	29.85		29	B	–		7	W	1/4
0800	W	1	29.83		32	B	–		8	W	1/4
1200	WNW	3	29.74		34	C	Cu		8	WNW	1
1600	W	3	29.75		34	Bc	Cu		8	W	1
2000	NW	3	29.78		28	Bc	Cu		7	NW	1

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE GAS/DIESEL	LUB. OIL	WATER
RECEIVED	0 0	0	0
EXPENDED	0 0	0	75
REMAINING	40 2750	14	6000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0723 Time Lighted 1558

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N, and station boat
0100 Same as 0000
0200 Same as 0000
0300 Same as 0000
0400 Same as 0000
0500 Same as 0000
0600 Same as 0000, relieved by Roys EN2

Russell R. Barnhart

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0723 Extinguished main light
0800 Morning colors
1200 Noon chow
1558 Lit main light
1613 Evening colors
1700 Evening chow. Checked main light and all visible A/N, and station boat
1800 Relieved by Barnhart BM1

Harold A Roys

1800-2400

1800 Checked main light and all visible A/N, and station boat
1900 Same as 1800
2000 Same as 1800
2100 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Relieved by Roys EN2

Russell R. Barnhart

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND L/S

DATE MONDAY 20 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	MW	4	29.82		24	BC	CU		7	NW	2
0400	NW	3	29.83		18	B	–		7	NW	1
0800	NW	3	29.86		14	B	–		8	Nw	1
1200	NW	2	29.79		22	B	–		8	NW	½
1600	NW	2	29.82		26	B	–		8	NW	½
2000	NW	2	29.83		23	B	–		7	NW	½

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	GAS/Diesel		
RECEIVED	0 0	0	0
EXPENDED	0-2 06	0	75
REMAINING	40 2544	14	5,925

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	0 1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0723 Time Lighted 1559

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light, & all vis A/N, & station boat.
0200 Same as 0000.
0400 Same as 0000.
0600 Same as 0000, Relieved by Barnhart, BM-1. Harold A Roys

0600-1800

0600 Reveille
0630 Morning chow.
0700 Morning clean-up of station.
0723 Extinguished main light.
0800 Morning colors, turn too stations wor k.
1200 Noon chow.
1300 Return too work.
1530 Received EVINRUDE $9\frac{1}{2}$ HP. Motor from group office, in exchange for Rose Islands 10 HP, EVINRUDE Motor.
1600 LIT main light, secured for day.
1615 Evening colors.
1700 Evening chow.
1800 Relieved by Roys, EN-2. Russell R. Barnhart

1800-2400

1800 Checked main light, & all vis A/N, & station boat.
2000 Same as 1800.
2200 Same as 1800.
HAR. 2400 Same as 1800, Relieved by Barnhart, Bym 1. Harold A Roys

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE TUESDAY, 21 DECEMBER, 1965 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.86		20	6	NS		7	NW	½
0400	NW	2	29.89		20	BC	C		7	NW	½
0800	NW	2	29.93		21	BC	C		8	NW	½
1200	NW	2	299.2		32	B	-		8	NW	½
1600	NW	2	29.92		33	B	-		8	NW	½
2000	NW	2	29.94		30	B	-		7	NW	½

SUPPLIES (Vessel Report Daily)

		FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	GAS/Diesel	0	0	
EXPENDED	0	0	0	75
REMAINING	40	2544	14	3850

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0723 Time Lighted 1559

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all vis A/N, & station boat.
0200 Same as 0000.
0400 Same as 0000.
0600 Same as 0000, Relieved by Roys, EN-2.

Russell R. Barnhart

0600-1800

0600 Reveille
0630 Chow
0700 Morning clean-up of station.
0723 Extinguished main light.
0800 Morning colors, Turn too..
1200 Noon chow.
1300 Return too work.
1559 Lit main light.
1614 Evening colors.
1630 Secure for day.
1700 Evening chow.
1800 Relieved by Barnhart, BM- 1.

Harold A Roys

1800-2400

1800 Checked main light & all vis A/N, & station boat.
2000 Same as 1800.
2200 Same as 1800.
2400 Same as 1800, Relieved by Roys EN-2.

Russell R. Barnhart

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE WEDNESDAY, 22 DECEMBER, 1965 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.98		~~B~~24	B	-		7	NW	½
0400	NW	2	30.00		24	B	-		7	NW	½
0800	NW	2	30.04		28	B	-		8	NW	½
1200	NW	2	30.06		30	B	-		8	NW	½
1600	NW	2	30.10		32	B	-		8	NW	½
2000	NW	2	30.14		30	B	-		7	NW	½

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE GAS/DIESEL	LUB. OIL	WATER
RECEIVED	0 0	0	0
EXPENDED	0 0	0	75
REMAINING	40 2544	14	3775

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH - CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0724 Time Lighted 1559 HAR

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light & all vis A/N, & station boat.
0200 Same as 0000.
0400 Same as 0000.
0600 Same as 0000, Relieved by Barnhart, BM-1. [illegible] Roys

0600-1800

0600 Reveille
0630 Morning chow.
0700 Morning clean-up of station.
0724 Extinguished main light.
0800 Morning colors, Turn too.
0930 CG-16717 , Departed this unit W/ Barnhart, BM-1, Enroute Newport, on liberty.
1000 CG-16717 Returned this unit W/ Ganley, SN. Returning from liberty.
1200 Noon chow.
1300 Return too work.
1559 Lit main light.
1614 Evening colors.
1630 Secure for day.
1700 Evening chow.
1800 Relieved by Ganley, SN. Russell R. Barnhart

1800-2400

1800 Checked main light, & all vis A/N, & station boat.
2000 Same as 1800.
2200 Same as1800.
2400 Same as 1800, Relieved by Roys, EN-2. David L. Ganley

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE THURSDAY 23 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.16		30	O&Z	St		7	NW	½
0400	NW	2	30.20		34	O&Z	St		7	NW	½
0800	W	2	30.20		34	O&Z	St		8	W	½
1200	W	2	30.24		44	O	St		8	W	½
1600	SW	2	30.24		46	O	St		8	SW	½
2000	SW	2	30.26		42	O	St		7	SW	½

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	0	0	0	0
EXPENDED	5	0	0	75
REMAINING	35	2544	14	5700 ~~53700~~

COMPLEMENT

		MILITARY	CIVILIAN
AUTHORIZED		4	
ATTACHED		3	
AL, AWL, AOL			
AH			
	CL	1	
PRESENT		2	

MAIN LIGHT Time Extinguished 0724 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light, & all vis A/N, & station boat.
0200 Same as 0000.
0400 Same as 0000.
0600 Same as 0000, Relieved by Ganley, SN. Harold A Roys

0600-1800

0600 Reveille,
0630 Morning chow.
0700 Morning clean-up of station.
0724 Extinguished main light.
0800 Morning colors, turn too.
1000 CG-16717 Departed station w? Ganley, SN, Enr. Castle Hill.
1200 Noon chow.
1300 Return too work.
1330 CG-16717 Returned this unit W/ Ganley, SN. & Rose Islands 10 Hp. Evinrude Outboard Engine To Effect repairs W/ EN-2.
1600 Lit main light.
1615 Evening colors.
1630 Secure for day.
1700 Evening chow.
1800 Relieved by Roys, EN-2. David L. Ganley

1800-2400

1800 Checked main light & all vis A/N, & station boat.
2000 Same as 1800.
2200 Same as 1800.
2400 Same as 1800, Relieved by Ganley, SN. Harold A Roys

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE FRIDAY 24 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	2	30.22		34	0	Ns		7	W	½
0400	W	2	30.20		32	0	Ns		7	W	½
0800	W	2	30.20		34	0	Ns		8	W	½
1200	SW	2	30.18		42	0	Ns		8	SW	½
1600	SW	2	30.00		44	0	Ns		8	SW	½
2000	SW	3	29.90		40	0	Ns		7	SW	1

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	0	0	0	0
EXPENDED	0	0	0	75
REMAINING	35	2544	14	5625 ~~3625~~

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0725 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light, & all vis A/N, & station boat.
0200 Same as 0000.
0400 Same as 0000.
0600 Same as 0000, Relieved by Roys, EN-2. David L. Ganley

0600-1800

0600 Reveille
0630 Morning chow.
0700 Morning clean-up of station.
0725 Extinguished main light.
0800 Morning colors, Turn too.
1200 Noon chow.
1300 Return too work.
1600 Lit main light.
1615 Evening colors.
1630 Secure for day.
1700 Evening chow.
1800 Relieved by Ganley, SN. Harold A. Roys

1800-2400

1800 Checked main light, & all vis A/N, & station boat.
2000 Same as 1800.
2200 Same as 1800.
2400 Same as 1800, Relieved by Roys, EN-2. David L. Ganley

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SATURDAY 25 DECEMBER 1965 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	29.84		42	O&Z	St		7	SW	½
0400	SW	3	29.78		46	O&Z	St		7	SW	1
0800	SW	3	29.74		48	O&Z	St		8	SW	1
1200	SW	4	29.70		50	O&Z	St		7	SW	1
1600	SW	4	29.70		46	O&F	St		5	SW	1
2000	W	5	29.76		40	R&F	St		5	W	1

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	0	0	0	0
EXPENDED	0	0	0	75
REMAINING	35	2544	14	5550

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0725 Time Lighted ~~1600~~ 1345

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1345	0000	10	15	40
TOTAL FOR DAY		10	15	40
TOTAL FOR MONTH		33	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light, & all vis A/N, & station boat.
0200 Same as 0000.
0400 Same as 0000.
0600 Same as 0000, Relieved by Ganley, SN. Harold A Roys

0600-1800

0600 Reveille
0630 Morning chow.
6700 Morning clean-up of station.
0800 Morning colors, observing Christmas Holiday routine.
1200 Noon chow
1345 Turned on fog signal att Rose Island, Gull Rocks, And North LT.
1615 Evening colors
1700 Evening chow
1800 Releived by Roys EN2 David L. Ganley

1800-2400

1800 Checked main light and all visible A/N and station boat.
2000 Same as 1800
2200 Same as 1800
2400 Relieved by Ganley SN Harold A Roys

CERTIFIED TO BE CORRECT

Russell B. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SUNDAY 26 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	6	29.80		32	R&F	St		5	N	1
0400	N	6	29.84		26	R&S	St		5	N	1
0800	N	6	29.90		28	O&S	St		7	N	1
1200	N	6	29.94		28	B	-		8	N	1
1600	N	5	30.00		28	B	-		8	N	1
2000	N	5	30.26		20	B	-		7	N	1

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	GAS/DIESEL		
RECEIVED	0 0	0	0
EXPENDED	0 0	0	75
REMAINING	35 2544	14	5475

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0745 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0000	0745	7	45	40
TOTAL FOR DAY		7	45	
TOTAL FOR MONTH		41	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N and station boat
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, Relieved by Roys EN2 David L. Ganley

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0745 Extinguished main light, Secured fog signal at Rose Island, Gull Rocks, and North LT.
0800 Morning colors
1200 Noon chow
1600 Lit main light
1615 Evening colors
1700 Evening chow
1800 Relieved by Ganley SN Harold A Roys

1800-2400

1800 Checked main light and all visible A/N and station boat.
2000 Same as 1800
2200 Same as 1800
2400 Relieved by Roys EN2 David L. Ganley

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

GPO 947-370

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE MONDAY 27 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	4	30.30		18	B	-		7	N	1
0400	N	3	30.34		16	B	-		7	N	1
0800	NW	2	30.36		20	B	-		8	NW	½
1200	NW	2	30.38		26	B	-		8	NW	½
1600	NW	1	30.38		32	C	Ns		8	NW	½
2000	NW	2	30.38		26	C	Ns		7	NW	½

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS	DIESEL		
RECEIVED	0	0	0	0
EXPENDED	5	0	0	75
REMAINING	30	2544	14	5400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0727 Time Lighted 1601

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N and station boat.
0200 Same as 0000
0400 Same as 0000
0600 Samme as 0000, Relieved by Ganley SN Harold A Roys

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up off station
0727 Extinguished main light
0800 Morning colors, Turned too
1200 Noon chow
1300 Returned to work
1601 Lit main light
1616 Evening colors
1700 Evening chow
1800 Relieved by Roys EN2 Daniel L. Ganley

1800-2400

1800 Checked main light and all visible A/N and station boat.
2000 Same as 1800
2200 Same as 1800
2400 Relieved by Ganley SN

Harold A Roys

CERTIFIED TO BE CORRECT

Russell B. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE TUESDAY 28 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.34		18	B	–		7	NW	½
0400	NW	3	30.36		14	B	–		7	NW	½
0800	NW	4	30.36		16	B	–		8	NW	1
1200	NW	4	30.38		32	B	–		8	NW	1
1600	NW	2	30.38		32	B	–		8	NW	½
2000	NW	1	30.48		30	B	–		7	NW	½

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE GAS/ DIESEL		LUB. OIL	WATER
RECEIVED	0	0	0	0
EXPENDED	0	0	0	75
REMAINING	30	2544	14	5325

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0727 Time Lighted 1601

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N and station boat.

0200 Same as 0000

0400 Same as 0000

0600 Same as 0000, Relieved by Roys EN2

David L. Ganley

0600-1800

0600 Reveille

HAR * 0630 Morhing chow

0700 Morning clean up of station

0800 Morning colors, Turned too

1200 Noon chow

1300 Returned to work

1601 Lit main light

1616 Evening colors

1700 Evening chow

1800 Relieved by Ganley SN

Harold A Roys

1800-2400

1800 Checked main light and all visible A/N and station boat.

2000 Same as 1800

2200 Same as 1800

2400 Same as 1800, Relieved by Roys EN2

David T. Ganley

HAR * 0727 Extinguished main light.

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1

(Officer in Charge)

GPO 947-370

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE WEDNESDAY 29 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.48		32	C	Ac		7	NW	½
0400	W	2	30.48		34	C	Ac		7	W	½
0800	SW	1	30.50		36	C	Ac		8	SW	½
1200	SW	3	30.42		41	C	Ac		8	SW	1~~SW~~
1600	SW	3	30.40		40	C	Ac		8	SW	1
2000	SW	3	30.38		38	c	Ac		7	SW	1

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE GAS/DIESEL		LUB. OIL	WATER
RECEIVED	0	0	0	0
EXPENDED	0	0	0	75
REMAINING	30	2544	14	5250

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, ~~AWL, AOL~~	1	
~~AH~~ TAD.	1	
CL.	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0727 Time Lighted 1602

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N, and station boat
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, relieved by Ganley SN

Harold A Roys

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0727 Extinguished main light
0800 Morning colors, turnto work
1000 CG-16717 departed for Newport, R.I. on logistics, ROYS, Harold A. (319-021) EN2 departed on 10CL, 03AL., and GANLEY, David L. (348-162) SN. departed on 7 days compensatory leave.
1050 CG-16717 moored station, BARNHART, Russell R. (320-553) BM1 returned from 7 days compensatory leave, and WILBER, Richard H. (350-416) EN2 reported aboard for 7 days TAD.
1200 Noon chow
1300 Return to work.
1600 Secure for day
1602 Lit main light
1617 Evening colors
1700 Evening chow. Checked main light and all visible A/N, and station boat.
1800 Relieved by Barnhart BM1

RRB.

1800-2400

1800 Checked main light and all visible A/N, and station boat
1900 Same as 1800
2000 Same as 1800
2100 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Relieved by Wilber EN2

Russell R. Barnhart

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT-STATION

DATE THURSDAY 30 DECEMBER 1965 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	30.36		36	0	As		7	SW	1
0400	SW	3	30.33		36	0	As		7	SW	1
0800	WSW	2	30.31		37	C	Cs		8	WSW	$\frac{1}{2}$
1200	SW	4	30.27		48	C	Cs		8	SW	2
1600	SW	4	30.23		48	C	Ac		8	SW	2
2000	SW	3	30.19		43	C	Ac		7	SW	1

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	GAS/DIESEL		
RECEIVED	0 0	0	0
EXPENDED	0 0	0	75
REMAINING	30 2544	14	5175

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, ~~AWL, AOL~~	1	
~~AH~~ TAD.	1	
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0727 Time Lighted 1602

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N, and station boat
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, relieved by Barnhart BM1

R.R.B.

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0727 Extinguished main light
0800 Morning colors, turn to work
1030 CG-40522 moored this unit, BARNHART, Russell R. (320-553) BM1 departed for US. NAVIL HOSPITAL to have back examinind.
1200 Noon chow
1300 Return to work
1510 CG-40522 Moored this unit, BARNHART, R.R., BM1 returned from hospital via. Group Office.
1600 Secure for day
1602 Lit main light
1617 Evening colors
1700 Evening chow, checked main light and all visible A/N, and station boat
1800 Relieved by Wilber EN2

Russell R. Barnhart

1800-2400

1800 Checked main light and all visible A/N, and station boat
1900 Same as 1800
2000 Same as 1800
2100 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Relieved by Barnhart BM1

R.R.B.

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE FRIDAY 31 DECEMBER 1965 (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	30.18		44	C	Cs		7	SW	1
0400	SW	3	30.14		44	c	Cs		7	SW	1
0800	SW	1	30.13		43	C	Cs		8	SW	1/4
1200	SW	3	30.08		44	O	Cs		8	SW	1
1600	SW	3	30.01		45	C	Ac		8	SW	1
2000	SW	3	29.99		45	C	Ac		7	SW	1

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE		LUB. OIL	WATER
	GAS/DIESEL			
RECEIVED	0	0	0	0
EXPENDED	0	0	0	75
REMAINING	30	2544	14	5100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, ~~AWL, AOL~~	1	
~~AH~~ TAD.	1	
CL	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0727 Time Lighted 1603

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0600

0000 Checked main light and all visible A/N, and station boat
0200 Same as 0000
0400 Same as 0000
0600 Same as 0000, relieved by Wilber EN2

Russell R. Barnhart

0600-1800

0600 Reveille
0630 Morning chow
0700 Morning clean up of station
0727 Extinguished main light
0800 Morning colors, turn to work
1200 Noon chow
1300 Secure for day (holliday routine)
1603 Lit main light
1618 Evening colors
1700 Evening chow. Checked main light and all visible A/N, and station boat
1800 Relieved by Barnhart BM1

R. R. B.

1800-2400

1800 Checked main light and all visible A/N, and station boat
1900 Same as 1800
2000 Same as 1800
2100 Same as 1800
2200 Same as 1800
2300 Same as 1800
2400 Relieved by Wilber EN2

Russell R. Barnhart

HAPPY NEW YEAR

CERTIFIED TO BE CORRECT

Russell R. Barnhart BM-1
(Officer in Charge)